ELSEVIER

Neuroscience Letters 279 (2000) 196–199

Neuroscience Letters

Author Index to Volume 279

Aasly, J., see Müller, B., 169
Abecia, L.C., de Gandarias, J.M., 9
Acebes, I., de Gandarias, J.M., 9
Acosta, G.B., Boccia, M.M., Baratti, C.M., Gabapentin, an antiepileptic drug, improves memory storage in mice, 173
Alho, K., see Tervaniemi, M., 29
Anderson, M., Commins, S., O'Mara, S.M., The effects of low frequency and two-pulse stimulation protocols on synaptic transmission in the CA1-subiculum pathway in the anaesthetized rat, 181
Andreassen, O.A., Finsen, B., Østergaard, K., West, M.J., Jørgensen, H.A., Reduced number of striatal neurons expressing preprosomatostatin mRNA in rats with oral dyskinesias after long-term haloperidol administration, 21

Ballesteros, M.A., Gallo, M., Bilateral tetrodotoxin blockade of the rat vestibular nuclei substitutes the natural unconditioned stimulus in taste aversion learning, 161
Baratti, C.M., see Acosta, G.B., 173
Belfer, I., see Vatine, J.-J., 141
Bent, L.R., McFadyen, B.J., French Merkley, V., Kennedy, P.M., Inglis, J.T., Magnitude effects of galvanic vestibular stimulation on the trajectory of human gait, 157
Bertrand, F., Lehmann, O., Lazarus, C., Jeltsch, H., Cassel, J.-C., Intraseptal infusions of 8-OH-DPAT in the rat impairs water-maze performances: effects on memory or anxiety? 45
Bloom, S., see Taheri, S., 109
Boatman, D., see Lenz, F.A., 153
Boccia, M.M., see Acosta, G.B., 173
Borlongan, C.V., Stahl, C.E., Keep, M.F., Elmér, E., Watanabe, S., Cyclosporine-A enhances choline acetyltransferase immunoreactivity in the septal region of adult rats, 73
Bouisset, S., see Nouillot, P., 77
Brice, A., see Zander, C., 41
Bucci, T., see Kilpatrick, T.J., 5

Campbell Hewson, Q., Lovat, P.E., Malcolm, A.J., Pearson, A.D.J., Redfern, C.P.F., Receptor mechanisms mediating differentiation and proliferation effects of retinoids on neuroblastoma cells, 113
Candy, S.M., Szatkowski, M.S., Chronic hyperglycaemia increases neuronal sensitivity to high potassium in hippocampal slices from streptozotocin-treated diabetic rats, 105
Casis, L., de Gandarias, J.M., 9
Cassano, G.B., see Palego, L., 53
Cassel, J.-C., see Bertrand, F., 45
Chiba, A., S-100 protein-immunoreactive structures in the brains of the elasmobranchs *Scyliorhinus torazame* and *Mustelus manazo*, 65
Commins, S., see Anderson, M., 181
Crone, N., see Lenz, F.A., 153

Dakin, C., see Taheri, S., 109
Davoine, C.-S., see Zander, C., 41
de Gandarias, J.M., Acebes, I., Echevarría, E., Vegas, L., Abecia, L.C., Casis, L., Lithium alters mu-opioid receptor expression in the rat brain, 9
de Gelder, B., see Rossion, B., 25
De Simoni, A., see Formenti, A., 49
Devor, M., see Vatine, J.-J., 141
Do, M.C., see Nouillot, P., 77
Dolina, S., see Vatine, J.-J., 141
Du, J.-Z., see Zhang, Y.-S., 137
Dürr, A., see Zander, C., 41

Echevarría, E., de Gandarias, J.M., 9
Elmér, E., see Borlongan, C.V., 73
Elwan, M.A., Sakuragawa, N., Characterization of [^{3}H]mazindol binding sites in cultured monkey amniotic epithelial cells, 37

Fergusson, J., Landon, M., Lowe, J., Ward, L., van Leeuwen, F.W., Mayer, R.J., Neurofibrillary tangles in progressive supranuclear palsy brains exhibit immunoreactivity to frameshift mutant ubiquitin-B protein, 69
Ferrer, I., Marín, C., Rey, M.J., Ribalta, T., Brain-derived neurotrophic factor in patients with frontotemporal dementia, 33
Finsen, B., see Andreassen, O.A., 21
Fontaine, B., see Zander, C., 41
Formenti, A., De Simoni, A., Effects of extracellular Ca^{2+} on membrane and seal resistance in patch-clamped rat thalamic and sensory ganglion neurons, 49
French Merkley, V., see Bent, L.R., 157
Fujii, S., Kuroda, Y., Ito, K.-I., Yoshioka, M., Kaneko, K., Yamazaki, Y., Sasaki, H., Kato, H., Endogenous adenosine regulates the effects of low-frequency stimulation on the induction of long-term potentiation in CA1 neurons of guinea pig hippocampal slices, 121

Gaitonde, E.J., see Sivagnanasundaram, S., 13
Galeano, R.M., Germanà, A., Vázquez, M.T., Hidaka, H., Germanà, G., Vega, J.A., Immunohistochemical localization of neurocalcin in human sensory neurons and mechanoreceptors, 89
Gallo, M., see Ballesteros, M.A., 161
Gardiner, J., see Taheri, S., 109
Gårseth, M., see Müller, B., 169
Gerber, W.-D., see Siniatchkin, M., 1
Germanà, A., see Galeano, R.M., 89
Germanà, G., see Galeano, R.M., 89
Ghatei, M., see Taheri, S., 109
Giannaccini, G., see Palego, L., 53
Giromella, A., see Palego, L., 53
Guérit, J.-M., see Rossion, B., 25

PII: S0304-3940(00)00810-7

ELSEVIER

Neuroscience Letters 279 (2000) 196–199

Neuroscience Letters

Author Index to Volume 279

Aasly, J., see Müller, B., 169
Abecia, L.C., de Gandarias, J.M., 9
Acebes, I., de Gandarias, J.M., 9
Acosta, G.B., Boccia, M.M., Baratti, C.M., Gabapentin, an antiepileptic drug, improves memory storage in mice, 173
Alho, K., see Tervaniemi, M., 29
Anderson, M., Commins, S., O'Mara, S.M., The effects of low frequency and two-pulse stimulation protocols on synaptic transmission in the CA1-subiculum pathway in the anaesthetized rat, 181
Andreassen, O.A., Finsen, B., Østergaard, K., West, M.J., Jørgensen, H.A., Reduced number of striatal neurons expressing preprosomatostatin mRNA in rats with oral dyskinesias after long-term haloperidol administration, 21

Ballesteros, M.A., Gallo, M., Bilateral tetrodotoxin blockade of the rat vestibular nuclei substitutes the natural unconditioned stimulus in taste aversion learning, 161
Baratti, C.M., see Acosta, G.B., 173
Belfer, I., see Vatine, J.-J., 141
Bent, L.R., McFadyen, B.J., French Merkley, V., Kennedy, P.M., Inglis, J.T., Magnitude effects of galvanic vestibular stimulation on the trajectory of human gait, 157
Bertrand, F., Lehmann, O., Lazarus, C., Jeltsch, H., Cassel, J.-C., Intraseptal infusions of 8-OH-DPAT in the rat impairs water-maze performances: effects on memory or anxiety? 45
Bloom, S., see Taheri, S., 109
Boatman, D., see Lenz, F.A., 153
Boccia, M.M., see Acosta, G.B., 173
Borlongan, C.V., Stahl, C.E., Keep, M.F., Elmér, E., Watanabe, S., Cyclosporine-A enhances choline acetyltransferase immunoreactivity in the septal region of adult rats, 73
Bouisset, S., see Nouillot, P., 77
Brice, A., see Zander, C., 41
Bucci, T., see Kilpatrick, T.J., 5

Campbell Hewson, Q., Lovat, P.E., Malcolm, A.J., Pearson, A.D.J., Redfern, C.P.F., Receptor mechanisms mediating differentiation and proliferation effects of retinoids on neuroblastoma cells, 113
Candy, S.M., Szatkowski, M.S., Chronic hyperglycaemia increases neuronal sensitivity to high potassium in hippocampal slices from streptozotocin-treated diabetic rats, 105
Casis, L., de Gandarias, J.M., 9
Cassano, G.B., see Palego, L., 53
Cassel, J.-C., see Bertrand, F., 45
Chiba, A., S-100 protein-immunoreactive structures in the brains of the elasmobranchs *Scyliorhinus torazame* and *Mustelus manazo*, 65
Commins, S., see Anderson, M., 181
Crone, N., see Lenz, F.A., 153

Dakin, C., see Taheri, S., 109
Davoine, C.-S., see Zander, C., 41
de Gandarias, J.M., Acebes, I., Echevarría, E., Vegas, L., Abecia, L.C., Casis, L., Lithium alters mu-opioid receptor expression in the rat brain, 9
de Gelder, B., see Rossion, B., 25
De Simoni, A., see Formenti, A., 49
Devor, M., see Vatine, J.-J., 141
Do, M.C., see Nouillot, P., 77
Dolina, S., see Vatine, J.-J., 141
Du, J.-Z., see Zhang, Y.-S., 137
Dürr, A., see Zander, C., 41

Echevarría, E., de Gandarias, J.M., 9
Elmér, E., see Borlongan, C.V., 73
Elwan, M.A., Sakuragawa, N., Characterization of [^{3}H]mazindol binding sites in cultured monkey amniotic epithelial cells, 37

Fergusson, J., Landon, M., Lowe, J., Ward, L., van Leeuwen, F.W., Mayer, R.J., Neurofibrillary tangles in progressive supranuclear palsy brains exhibit immunoreactivity to frameshift mutant ubiquitin-B protein, 69
Ferrer, I., Marín, C., Rey, M.J., Ribalta, T., Brain-derived neurotrophic factor in patients with frontotemporal dementia, 33
Finsen, B., see Andreassen, O.A., 21
Fontaine, B., see Zander, C., 41
Formenti, A., De Simoni, A., Effects of extracellular Ca^{2+} on membrane and seal resistance in patch-clamped rat thalamic and sensory ganglion neurons, 49
French Merkley, V., see Bent, L.R., 157
Fujii, S., Kuroda, Y., Ito, K.-I., Yoshioka, M., Kaneko, K., Yamazaki, Y., Sasaki, H., Kato, H., Endogenous adenosine regulates the effects of low-frequency stimulation on the induction of long-term potentiation in CA1 neurons of guinea pig hippocampal slices, 121

Gaitonde, E.J., see Sivagnanasundaram, S., 13
Galeano, R.M., Germanà, A., Vázquez, M.T., Hidaka, H., Germanà, G., Vega, J.A., Immunohistochemical localization of neurocalcin in human sensory neurons and mechanoreceptors, 89
Gallo, M., see Ballesteros, M.A., 161
Gardiner, J., see Taheri, S., 109
Gårseth, M., see Müller, B., 169
Gerber, W.-D., see Siniatchkin, M., 1
Germanà, A., see Galeano, R.M., 89
Germanà, G., see Galeano, R.M., 89
Ghatei, M., see Taheri, S., 109
Giannaccini, G., see Palego, L., 53
Giromella, A., see Palego, L., 53
Guérit, J.-M., see Rossion, B., 25

PII: S0304-3940(00)00810-7

Gulam Mostafa, M., see Mima, T., 93

Hara, Y., Ueta, Y., Isse, T., Serino, R., Shibuya, I., Hattori, Y., Yamashita, H., Increase of urocortin-like immunoreactivity in the supraoptic nucleus of Dahl rats given a high salt diet, 17
Harada, A., see Ikegami, S., 129
Hattori, Y., see Hara, Y., 17
Hayashi, T., see Sakurada, T., 61
Hazan, J., see Zander, C., 41
Henshall, D.C., see Minami, M., 193
Hidaka, H., see Galeano, R.M., 89
Hirayama, T., see Mima, T., 93
Hirokawa, N., see Ikegami, S., 129
Hong, S.-K., see Park, H.-C., 81
Hori, H., see Ohmori, O., 125
Huh, T.-L., see Park, H.-C., 81
Hunt, D.M., see Sivagnanasundaram, S., 13
Huotilainen, M., see Tervaniemi, M., 29

Ikeda, M., Sagara, M., Inoué, S., Continuous exposure to dim illumination uncouples temporal patterns of sleep, body temperature, locomotion and drinking behavior in the rat, 185
Ikegami, S., Harada, A., Hirokawa, N., Muscle weakness, hyperactivity, and impairment in fear conditioning in tau-deficient mice, 129
Ilvonen, T., see Tervaniemi, M., 29
Inglis, J.T., see Bent, L.R., 157
Inoué, S., see Ikeda, M., 185
Ishihara, I., Minami, Y., Nishizaki, T., Matsuoka, T., Yamamura, H., Activation of calpain precedes morphological alterations during hydrogen peroxide-induced apoptosis in neuronally differentiated mouse embryonal carcinoma P19 cell line, 97
Isse, T., see Hara, Y., 17
Ito, K.-I., see Fujii, S., 121
Itoh, K., see Sasaki, R., 57

Jeltsch, H., see Bertrand, F., 45
Jin, Y.-J., see Mima, T., 93
Johansson, H., see Sakurada, T., 61
Jørgensen, H.A., see Andreassen, O.A., 21

Kaneko, K., see Fujii, S., 121
Kato, H., see Fujii, S., 121
Katsuyama, S., see Sakurada, T., 61
Kaur, C., see You, Y., 101
Kawabe, T., see Sasaki, R., 57
Keep, M.F., see Borlongan, C.V., 73
Kennedy, P.M., see Bent, L.R., 157
Kilpatrick, T.J., Ortuño, D., Bucci, T., Lai, C., Lemke, G., Rat oligodendroglia express c-met and focal adhesion kinase, protein tyrosine kinases implicated in regulating epithelial cell motility, 5
Kim, C.-H., see Park, H.-C., 81
Kim, H.-S., see Park, H.-C., 81
Kim, J.H., Min, B.I., Schmidt, D., Lee, H.J., Park, D.S., The difference between electroacupuncture only and electroacupuncture with manipulation on analgesia in rats, 149
Kim, S.-H., see Park, H.-C., 81
Knowles, J.A., see Romas, S.N., 133
Kojima, H., see Ohmori, O., 125
Kostopoulos, G., see Papatheodoropoulos, C., 177
Krauss, G., see Lenz, F.A., 153
Kropp, P., see Siniatchkin, M., 1
Kujala, A., see Tervaniemi, M., 29
Kuroda, Y., see Fujii, S., 121

Lai, C., see Kilpatrick, T.J., 5
Lai, Y.-J., Shen, E.-Y., Pan, W.H.T., Effects of ascorbate in microdialysis perfusion medium on the extracellular basal concentration of glutamate in rat's striatum, 145
Landon, M., see Fergusson, J., 69
Lantigua, R., see Romas, S.N., 133
Lazarus, C., see Bertrand, F., 45
Lee, H.J., see Kim, J.H., 149
Lee, J.-I., see Lenz, F.A., 153
Lehmann, O., see Bertrand, F., 45
Lemke, G., see Kilpatrick, T.J., 5
Lenz, F.A., Krauss, G., Treede, R.D., Lee, J.-I., Boatman, D., Crone, N., Minahan, R., Port, J., Rios, M., Different generators in human temporal-parasylvian cortex account for subdural laser-evoked potentials, auditory-evoked potentials, and event-related potentials, 153
Li, W., see Minami, M., 193
Lin Jin, K., see Minami, M., 193
Lindblad, K., see Zander, C., 41
Liu, Y., see Wu, A., 85
Lovat, P.E., see Campbell Hewson, Q., 113
Lowe, J., see Fergusson, J., 69
Lucacchini, A., see Palego, L., 53

Malcolm, A.J., see Campbell Hewson, Q., 113
Marazziti, D., see Palego, L., 53
Marín, C., see Ferrer, I., 33
Markwardt, F., see Negulyaev, Y.A., 165
Maruta, T., see Sasaki, R., 57
Matsumoto, A., Age-dependent changes in phosphorylated cAMP response element-binding protein immunoreactivity in motoneurons of the spinal nucleus of the bulbocavernosus of male rats, 117
Matsumoto, A., see Sasaki, R., 57
Matsuoka, T., see Ishihara, I., 97
Mayer, R.J., see Fergusson, J., 69
Mayeux, R., see Romas, S.N., 133
Mazzoni, M.R., see Palego, L., 53
McFadyen, B.J., see Bent, L.R., 157
McKenna, P.J., see Sivagnanasundaram, S., 13
Medrano, M., see Romas, S.N., 133
Miki, N., see Park, H.-C., 81
Mima, T., Jin, Y.-J., Hirayama, T., Gulam Mostafa, M., Mori, K., Argatroban, a thrombin inhibitor, decreased mortality after 10 min of forebrain ischemia in the gerbil, 93
Min, B.I., see Kim, J.H., 149
Minahan, R., see Lenz, F.A., 153
Minami, M., Lin Jin, K., Li, W., Nagayama, T., Henshall, D.C., Simon, R.P., Bcl-w expression is increased in brain regions affected by focal cerebral ischemia in the rat, 193
Minami, Y., see Ishihara, I., 97
Mollon, J.D., see Sivagnanasundaram, S., 13
Mori, K., see Mima, T., 93
Morris, A.G., see Sivagnanasundaram, S., 13
Moyes, S., see Taheri, S., 109
Müller, B., Qu, H., Gårseth, M., White, L.R., Aasly, J., Sonnewald, U., Amino acid neurotransmitter metabolism in neurones and glia following kainate injection in rats, 169

Näätänen, R., see Tervaniemi, M., 29
Naccarato, A.G., see Palego, L., 53
Nagayama, T., see Minami, M., 193
Nakamura, J., see Ohmori, O., 125
Negulyaev, Y.A., Markwardt, F., Block by extracellular Mg^{2+} of single human purinergic $P2X_4$ receptor channels expressed in human embryonic kidney cells, 165
Nishizaki, T., see Ishihara, I., 97
Nouillot, P., Do, M.C., Bouisset, S., Are there anticipatory segmental adjustments associated with lower limb flexions when balance is poor in humans?, 77

Ohmori, O., Shinkai, T., Hori, H., Kojima, H., Nakamura, J., Synapsin III gene polymorphisms and schizophrenia, 125
O'Mara, S.M., see Anderson, M., 181
Ortuño, D., see Kilpatrick, T.J., 5
Østergaard, K., see Andreassen, O.A., 21
Ota, Y., see Sasaki, R., 57

Palego, L., Giromella, A., Mazzoni, M.R., Marazziti, D., Naccarato, A.G., Giannaccini, G., Cassano, G.B., Lucacchini, A., Gender and age-related variation in adenylyl cyclase activity in the human prefrontal cortex, hippocampus and dorsal raphe nuclei, 53
Pan, W.H.T., see Lai, Y.-J., 145
Papatheodoropoulos, C., Kostopoulos, G., Decreased ability of rat temporal hippocampal CA1 region to produce long-term potentiation, 177
Park, D.S., see Kim, J.H., 149
Park, H.-C., Hong, S.-K., Kim, H.-S., Kim, S.-H., Yoon, E.-J., Kim, C.-H., Miki, N., Huh, T.-L., Structural comparison of zebrafish Elav/Hu and their differential expressions during neurogenesis, 81
Pearson, A.D.J., see Campbell Hewson, Q., 113
Port, J., see Lenz, F.A., 153
Pourtois, G., see Rossion, B., 25

Qu, H., see Müller, B., 169

Raber, P., see Vatine, J.-J., 141
Rabinowitz, D., see Romas, S.N., 133
Redfern, C.P.F., see Campbell Hewson, Q., 113
Rey, M.J., see Ferrer, I., 33
Ribalta, T., see Ferrer, I., 33
Rios, M., see Lenz, F.A., 153
Romas, S.N., Mayeux, R., Rabinowitz, D., Tang, M.-X., Rondon Zadroga, H., Lantigua, R., Medrano, M., Tycko, B., Knowles, J.A., The deletion polymorphism and Val1000Ile in α-2-macroglobulin and Alzheimer disease in Caribbean Hispanics, 133
Rondon Zadroga, H., see Romas, S.N., 133
Rossi, M., see Taheri, S., 109
Rossion, B., de Gelder, B., Pourtois, G., Guérit, J.-M., Weiskrantz, L., Early extrastriate activity without primary visual cortex in humans, 25

Sagara, M., see Ikeda, M., 185
Sakurada, C., see Sakurada, T., 61
Sakurada, S., see Sakurada, T., 61
Sakurada, T., Sakurada, S., Katsuyama, S., Hayashi, T., Sakurada, C., Tan-No, K., Johansson, H., Sandin, J., Terenius, L., Evidence that N-terminal fragments of nociceptin modulate nociceptin-induced scratching, biting and licking in mice, 61
Sakuragawa, N., see Elwan, M.A., 37
Sandin, J., see Sakurada, T., 61
Sasaki, H., see Fujii, S., 121
Sasaki, R., Matsumoto, A., Itoh, K., Kawabe, T., Ota, Y., Yamada, K., Maruta, T., Soejima, T., Sugimura, K., Target cells of apoptosis in the adult murine dentate gyrus and O4 immunoreactivity after ionizing radiation, 57
Schalling, M., see Zander, C., 41
Schmidt, D., see Kim, J.H., 149
Seal, L., see Taheri, S., 109
Seltzer, Z., see Vatine, J.-J., 141
Serino, R., see Hara, Y., 17
Shen, E.-Y., see Lai, Y.-J., 145
Shibuya, I., see Hara, Y., 17
Shinkai, T., see Ohmori, O., 125
Simon, R.P., see Minami, M., 193
Siniatchkin, M., Kropp, P., Gerber, W.-D., Stephani, U., Migraine in childhood – are periodically occurring migraine attacks related to dynamic changes of cortical information processing? 1
Sinkkonen, J., see Tervaniemi, M., 29
Sivagnanasundaram, S., Morris, A.G., Gaitonde, E.J., McKenna, P.J., Mollon, J.D., Hunt, D.M., A cluster of single nucleotide polymorphisms in the 5′-leader of the human dopamine D3 receptor gene (*DRD3*) and its relationship to schizophrenia, 13
Soejima, T., see Sasaki, R., 57
Sonnewald, U., see Müller, B., 169
Stahl, C.E., see Borlongan, C.V., 73
Stasiak, M., Żernicki, B., Food conditioning is impaired in cats deprived of the taste of food in early life, 190
Stephani, U., see Siniatchkin, M., 1
Stevanin, G., see Zander, C., 41
Sugimura, K., see Sasaki, R., 57
Sunter, D., see Taheri, S., 109
Szatkowski, M.S., see Candy, S.M., 105

Taheri, S., Sunter, D., Dakin, C., Moyes, S., Seal, L., Gardiner, J., Rossi, M., Ghatei, M., Bloom, S., Diurnal variation in orexin A immunoreactivity and prepro-orexin mRNA in the rat central nervous system, 109
Tang, M.-X., see Romas, S.N., 133
Tan-No, K., see Sakurada, T., 61
Terenius, L., see Sakurada, T., 61
Tervaniemi, M., Ilvonen, T., Sinkkonen, J., Kujala, A., Alho, K., Huotilainen, M., Näätänen, R., Harmonic partials facilitate pitch discrimination in humans: electrophysiological and behavioral evidence, 29
Treede, R.D., see Lenz, F.A., 153
Tycko, B., see Romas, S.N., 133

Ueta, Y., see Hara, Y., 17

Vatine, J.-J., Devor, M., Belfer, I., Raber, P., Zeltser, R., Dolina, S., Seltzer, Z., Preoperative open field behavior predicts levels of neuropathic pain-related behavior in mice, 141
Vázquez, M.T., see Galeano, R.M., 89
van Leeuwen, F.W., see Fergusson, J., 69
Vega, J.A., see Galeano, R.M., 89
Vegas, L., de Gandarias, J.M., 9

Ward, L., see Fergusson, J., 69
Watanabe, S., see Borlongan, C.V., 73
Weiskrantz, L., see Rossion, B., 25
West, M.J., see Andreassen, O.A., 21
White, L.R., see Müller, B., 169

Wu, A., Liu, Y., Apoptotic cell death in rat brain following deltamethrin treatment, 85

Yamada, K., see Sasaki, R., 57
Yamamura, H., see Ishihara, I., 97
Yamashita, H., see Hara, Y., 17
Yamazaki, Y., see Fujii, S., 121
Yoon, E.-J., see Park, H.-C., 81
Yoshioka, M., see Fujii, S., 121
You, Y., Kaur, C., Expression of induced nitric oxide synthase in amoeboid microglia in postnatal rats following an exposure to hypoxia, 101
Yuan, Q.-P., see Zander, C., 41

Zander, C., Yuan, Q.-P., Lindblad, K., Stevanin, G., Dürr, A., Davoine, C.-S., Hazan, J., Fontaine, B., Brice, A., Schalling, M., No evidence for long CAG/CTG repeats in families with spastic paraplegia linked to chromosome 2p21-24, 41
Zeltser, R., see Vatine, J.-J., 141
Żernicki, B., see Stasiak, M., 190
Zhang, Y.-S., Du, J.-Z., The response of growth hormone and prolactin of rats to hypoxia, 137